CONTENTS

The effect of temperature on the infrared spectra of H-bond complexes
W.A. Bueno and S.G. Ribeiro (Ribeirão Preto, Brazil) 1

The high-resolution infrared spectrum of diacetylene and structures of diacetylene, triacetylene and dicyanoacetylene
D. McNaughton and D.N. Bruget (Clayton, Vic., Australia) 11

The conformational equilibria and vibrational spectra, including infrared matrix-isolation spectra, of fluoroacetyl chloride and fluoroacetyl bromide
A.A. El-Bindary, A. Horn, P. Klaeboe and C.J. Nielsen (Oslo, Norway), F.I.M. Taha (Mansoura, Egypt) 27

Non-linear Raman spectroscopy in gases
B. Lavorel, G. Millot, M. Rotger, G. Rouillé and H. Berger (Dijon, France), H.W. Schrötter (München, Germany) 49

Vibrational spectroscopic study of nickel(II) hypophosphite, $Ni(H_2PO_2)_2$
R.I. Bickley and H.G.M. Edwards (Bradford, UK), R.E. Gustar (Crawley, UK), J.K.F. Tait (Bradford, UK) 61

A vibrational spectroscopic study of cobalt(II) oxalate dihydrate and the dipotassium bisoxalatocobalt(II) complex
H.G.M. Edwards and P.H. Hardman (Bradford, UK) 73

Analysis of vibrational absorption intensities in benzene and methyl benzenes
B. Galabov, S. Ilieva and T. Gounev (Sofia, Bulgaria), D. Steele (Egham, UK) 85

Infrared, Raman, microwave and ab initio study of dimethyl sulfide: structure and force field
M. Meyer (Kiel, Germany) 99

The microwave spectrum of 2(5*H*)-thiophenone
A.G. Lesarri, J.C. López and J.L. Alonso (Valladolid, Spain) 123

Near UV spectra of furan and its derivatives
L. Nyulászi (Budapest, Hungary) 133

Conformational analysis and photoelectron spectra of selenobispyridines
S.J. Dunne, L.A. Summers and E. von Nagy-Felsobuki (Callaghan, NSW, Australia) 139

Structure and spectroscopic behaviour of the β-phase of 2,4,6-trimethylpyridinium pentachlorophenolate
I. Majerz, Z. Malarski and W. Sawka-Dobrowolska (Wrocław, Poland) 161

Extremely strong OH···O hydrogen bonds in some 3-organophosphorus substituted pentane-2,4-dinones
A.M. Polozov, A.V. Khotinen, E.N. Klimovitskii, O.N. Kataeva and I.A. Litvinov (Kazan, Russian Federation) 171

Complexes of the "proton sponge" 1,8-bis(dimethylamino)napthalene (DMAN). Part VI. The structure of $[DMANH]^+[pentafluorophenolate]^-[pentafluorophenol]_2$
N. Odiaga, J.A. Kanters and B.T.G. Lutz (Utrecht, The Netherlands), E. Grech (Sczcecin, Poland) ... 183

Molecular structures of gaseous dichloro- and dibromo(dioxo)molybdenum(VI). Are the Mo=O bond distances and the O=Mo=O bond angles similar?
H. Thomassen and K. Hedberg (Corvallis, OR, USA) 197

The gas-phase structures of chloro(trifluoromethyl)disulphane, CF_3SSCl, and bromo(trifluoromethyl)disulphane, CF_3SSBr
H.-G. Mack (Tübingen, Germany) 207

NMR investigations of the conformation of new cyclodextrin-based amphiphilic transporters for hydrophobic drugs: molecular lollipops
N. Bellanger and B. Perly (Gif sur Yvette Cedex, France) 215

^{13}C NMR relaxation study on molecular motion of *n*-alkane chains in the rotator phase
S. Ishikawa (Tochigi, Japan), I. Ando (Tokyo, Japan) 227

Structure and ^{13}C NMR chemical shift behaviour of *n*-alkane chains in the rotator phase as studied by the tight-binding MO theory within the INDO/S framework
S. Ishikawa (Tochigi, Japan), H. Kurosu and I. Ando (Tokyo, Japan) 233

Conformational analysis of pyruvyl-L-alanine oxime
R.D. Lampeka, I.O. Fritsky and T.S. Iskenderov (Kiev, Ukraine) 243
NMR and vibrational studies of a stable carbinolaminium chloride $(CH_3)_2CHCH(OH)NH_2^+CH(CH_3)_2Cl^-$ in the solid state. Influence of the solvation on carbinolaminium/iminium equilibrium
H. Zine, A. Piart-Goypiron and M.H. Baron (Thiais, France) 249
An example of the complementary use of NMR and molecular modeling for structure elucidation
E.L. Williams, J.L. Font and G.M. Keeney (St. Louis, MO, USA) 265
Structural and dynamical study of acetaldoxime by means of ^{14}N nuclear quadrupole resonance
T. Okuda, Y. Yano and A. Ueda (Higashi-Hiroshima, Japan), H. Terao (Tokushima, Japan), K. Yamada (Higashi-Hiroshima, Japan) 269
Potential-energy functions of diatomic molecules of the noble gases. I. Like nuclear species
J.F. Ogilvie and F.Y.H. Wang (Taipei, Taiwan) 277
Vibrational force constants for diacetylene, 1,3-pentadiyne and 2,4-hexadiyne
B.M. Nikolova (Sofia, Bulgaria) 291
Conformational transformations of bis(trifluorovinyl) derivatives of naphthalene and phenanthrene
P. Fiedorow and H. Koroniak (Poznań, Poland), W.R. Dolbier, Jr., and K. Palmer (Gainesville, FL, USA) 305

Short Communication
Conformation and structure of 1,1,1,4,4,4-hexafluorobutane. A gas-phase electron diffraction and ab initio study
H.-G. Mack and H. Oberhammer (Tübingen, Germany), D. Bielefeldt (Leverkusen, Germany) 317

Book Review 323
Announcement 324
Corrigendum 327
Author Index 329
Subject Index 330